




Connectors > Connector Accessories > Connector Hardware



Connector Hardware Accessory Type: **Frame**  
Primary Product Material: **Polycarbonate**  
Operating Temperature (Max): **125 °C [ 257 °F ]**  
Operating Temperature Range: **-40 – 125 °C [ -40 – 257 °F ]**  
Hardware Accessory Function: **Mounting**

Features

Product Type Features

|                                   |          |
|-----------------------------------|----------|
| Connector Hardware Accessory Type | Frame    |
| Hardware Accessory Function       | Mounting |

Body Features

|                          |               |
|--------------------------|---------------|
| Primary Product Material | Polycarbonate |
|--------------------------|---------------|

Mechanical Attachment

|             |    |
|-------------|----|
| Thread Size | M4 |
|-------------|----|

Usage Conditions

|                             |                            |
|-----------------------------|----------------------------|
| Operating Temperature (Max) | 125 °C[257 °F]             |
| Operating Temperature Range | -40 – 125 °C[-40 – 257 °F] |

Packaging Features

|                    |     |
|--------------------|-----|
| Packaging Method   | Bag |
| Packaging Quantity | 2   |

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



|                                               |                                                                                                                               |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                                                                                                     |
| EU ELV Directive 2000/53/EC                   | Compliant                                                                                                                     |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                       |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2025 (247)<br>Candidate List Declared Against: JAN 2025 (247)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free                                    |
| Solder Process Capability                     | Not reviewed for solder process capability                                                                                    |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # T2071164101-000  
H16BP-T4-M DOCKING  
FRAME\_FLOATING




TE Part # T2111028201-000  
HMN-D2-FC

Also in the Series | [HDC HMN](#)



Connector Contacts(2)




Connector Hardware(16)



Insertion & Extraction Tools(1)



Power Contacts(2)



Rectangular Contact Inserts(124)

Customers Also Bought



TE Part #171362-1  
13P MIC MESSERLEI



TE Part #172035-1  
MIC CAP 9P V




TE Part #1903118-2  
DYNAMIC D1000 TAB CONT AU 0.38 um 2L L/P




TE Part #170887-1  
SLEEVE DIA5 SHUR PLUG NAT



TE Part #T0930050457-000  
FLOATING WASHER



TE Part #170020-1  
SHUR PLUG 20-14 MM2 TPBR



TE Part #1318143-1  
025 REC CONTACT PRETIN L/P CUT



TE Part #T2071164101-000  
H16BP-T4-M DOCKING FRAME\_FLOATING



TE Part #172026-1  
MIC PLUG 5P



TE Part #171894-1  
MIC 9P CAP ASSY

Documents





Product Drawings

H16BP-T4-F DOCKING FRAME\_FIXED

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_T2071164201-000\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_T2071164201-000\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_T2071164201-000\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

HEAVY DUTY CONNECTORS

English

HEAVY DUTY CONNECTORS

Japanese

Product Specifications

Application Specification

English