

TE Internal #: T2196501070-001

Pin Contact, Silver (Ag), Holder Contact Retention, Size 20 Contact Size, Discrete Wire, 2/0 AWG, 70 mm<sup>2</sup> Wire, Crimp, Copper, Power

View on TE.com >



#### Connectors > Contacts > Connector Contacts











Contact Type: Pin

Contact Mating Area Plating Material: Silver (Ag)

Wire Contact Termination Area Plating Material: Silver

Contact Retention Type Within Housing: Holder

Contact Size: Size 20

### **Features**

## **Product Type Features**

Discrete Wire Type	Solid or Stranded
Configuration Features	
Compatible With Wire & Cable Type	Discrete Wire
Electrical Characteristics	
Contact Resistance	1 mΩ
Contact Features	
Contact Mating Area Plating Material Finish	Bright
Contact Type	Pin
Contact Mating Area Plating Material	Silver (Ag)
Wire Contact Termination Area Plating Material	Silver
Contact Size	Size 20
Contact Base Material	Copper
Contact Current Rating (Max)	300 A
Termination Features	

Crimp

Termination Method to Wire & Cable



Product Terminates To	Wire & Cable
Mechanical Attachment	
Contact Retention Type Within Housing	Holder
Dimensions	
Wire Size	70 mm <sup>2</sup>
Usage Conditions	
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Circuit Application	Power

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



# **Compatible Parts**






# Customers Also Bought



















## **Documents**

Product Drawings HCM650-MC-70

English

CAD Files
3D PDF

3D

Pin Contact, Silver (Ag), Holder Contact Retention, Size 20 Contact Size, Discrete Wire, 2/0 AWG, 70 mm<sup>2</sup> Wire, Crimp, Copper, Power



**Customer View Model** 

ENG\_CVM\_CVM\_T2196501070-001\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_T2196501070-001\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_T2196501070-001\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

**HEAVY DUTY CONNECTORS** 

English

**HEAVY DUTY CONNECTORS** 

Japanese

**Product Specifications** 

**Application Specification** 

English