# 

#### MEAS | MEAS U5200

TE Internal #: U5254-000005-005PG Industrial Pressure Transducer, Gauge, 4 – 20 mA Output Signal, 3X Rated Proof Pressure Range, MEAS U5200

#### View on TE.com >



Sensors > Pressure Sensors > Pressure Transducers



#### Pressure Sensor Type: Industrial Pressure Transducer

Pressure: .344 bar [ 5 psi ]

Pressure Type: Gauge

Supply Voltage Range: 9-30V

Output Signal Type: 4-20 mA

## Features

#### Product Type Features

Pressure Sensor Type

Pressure Type

Industrial Pressure Transducer

Gauge

#### **Configuration Features**

Electrical Connection	Packard			
Electrical Characteristics				
Supply Voltage Range	9 – 30 V			
Body Features				
Port Material	316L			
Dimensions				
Product Height	57.15 mm[2.25 in]			
Hex Width Across Flats	24 mm[.944 in]			
Usage Conditions				
Pressure	.344 bar[5 psi]			
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]			
Operation/Application				
Output Signal Type	4 – 20 mA			
Proof Pressure Range	3X Rated			

**C** For support call+1 800 522 6752

04/15/2025 01:30AM | Page 1

### U5254-000005-005PG

Industrial Pressure Transducer, Gauge, 4 – 20 mA Output Signal, 3X Rated Proof Pressure Range, MEAS U5200



Pressure Accuracy

Other

Sensor Options

Port Fitting

Down to ± .1% FSO

Adhesive Label, No Snubber

1/4 MNPT

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

Compliant with Exemptions EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC Compliant with Exemptions China RoHS 2 Directive MIIT Order No 32, 2016 Restricted Materials Above Threshold EU REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC Halogen Content Not Yet Reviewed for halogen content Solder Process Capability Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**



## Also in the Series | MEAS U5200

**C** For support call+1 800 522 6752


### U5254-000005-005PG

Industrial Pressure Transducer, Gauge, 4 – 20 mA Output Signal, 3X Rated Proof Pressure Range, MEAS U5200





## Customers Also Bought





		M12 F, 5P GOLDR A_CODE S SHIELDED PG7	5POS MIXED MQS REC COD Z	MOD-4 REC.CONT.SCP.	PRESS XDCR M5251-000005-050PG
--	--	--	--------------------------	---------------------	-------------------------------

TE Part #2001140-03 PACKARD INTERFACE CONN/CBL 3'

## Documents

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_U5254-000005-005PG\_G.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_U5254-000005-005PG\_G.3d\_igs.zip

### U5254-000005-005PG

Industrial Pressure Transducer, Gauge, 4 – 20 mA Output Signal, 3X Rated Proof Pressure Range, MEAS U5200



English

Customer View Model ENG\_CVM\_CVM\_U5254-000005-005PG\_G.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

U5200

English