# 

#### MEAS | MEAS U5300

TE Internal #: U5354-000002-002BA Industrial Pressure Transducer, Absolute, 4 – 20 mA Output Signal, 3X Rated Proof Pressure Range, MEAS U5300

#### View on TE.com >



Sensors > Pressure Sensors > Pressure Transducers



#### Pressure Sensor Type: Industrial Pressure Transducer

Pressure: 2 bar [ 29 psi ]

Pressure Type: Absolute

Supply Voltage Range: 9-30V

Output Signal Type: 4-20 mA

### Features

### **Product Type Features**

Pressure Sensor Type

Pressure Type

Industrial Pressure Transducer

Absolute

**Configuration Features** 

| Electrical Connection       | Packard                    |  |  |  |  |  |  |
|-----------------------------|----------------------------|--|--|--|--|--|--|
| Electrical Characteristics  |                            |  |  |  |  |  |  |
| Supply Voltage Range        | 9 – 30 V                   |  |  |  |  |  |  |
| Body Features               |                            |  |  |  |  |  |  |
| Port Material               | 316L                       |  |  |  |  |  |  |
| Dimensions                  |                            |  |  |  |  |  |  |
| Product Height              | 57.15 mm[2.25 in]          |  |  |  |  |  |  |
| Hex Width Across Flats      | 24 mm[.944 in]             |  |  |  |  |  |  |
| Usage Conditions            |                            |  |  |  |  |  |  |
| Pressure                    | 2 bar[29 psi]              |  |  |  |  |  |  |
| Operating Temperature Range | -40 – 125 °C[-40 – 257 °F] |  |  |  |  |  |  |
| Operation/Application       |                            |  |  |  |  |  |  |
| Output Signal Type          | 4 – 20 mA                  |  |  |  |  |  |  |
| Proof Pressure Range        | 3X Rated                   |  |  |  |  |  |  |
|                             |                            |  |  |  |  |  |  |

**C** For support call+1 800 522 6752

04/15/2025 01:30AM | Page 1

### U5354-000002-002BA

Industrial Pressure Transducer, Absolute, 4 – 20 mA Output Signal, 3X Rated Proof Pressure Range, MEAS U5300



| Pressure Accuracy   | ±0.1% FSO   |  |  |  |  |  |  |  |
|---|---|--|--|--|--|--|--|--|
| Other   |   |  |  |  |  |  |  |  |
| Sensor Options  | Adhesive Label, No Snubber  |  |  |  |  |  |  |  |
| Port Fitting  | 1/4 MBSPP   |  |  |  |  |  |  |  |
| Product Compliance  |   |  |  |  |  |  |  |  |
| For compliance documentation, visit the product page on TE.com> |   |  |  |  |  |  |  |  |
| EU RoHS Directive 2011/65/EU                                    | Compliant with Exemptions   |  |  |  |  |  |  |  |
| EU ELV Directive 2000/53/EC                                     | Out of Scope  |  |  |  |  |  |  |  |
| China RoHS 2 Directive MIIT Order No 32, 2016                   | Restricted Materials Above Threshold  |  |  |  |  |  |  |  |
| EU REACH Regulation (EC) No. 1907/2006                          | Current ECHA Candidate List: JAN 2025<br>(247)<br>Candidate List Declared Against: JAN 2025<br>(247)<br>Does not contain REACH SVHC |  |  |  |  |  |  |  |
| Halogen Content   | Not Yet Reviewed for halogen content  |  |  |  |  |  |  |  |
| Solder Process Capability                                       | Not reviewed for solder process capability  |  |  |  |  |  |  |  |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

### **Compatible Parts**



# Also in the Series | MEAS U5300

**C** For support call+1 800 522 6752


### U5354-000002-002BA

Industrial Pressure Transducer, Absolute, 4 – 20 mA Output Signal, 3X Rated Proof Pressure Range, MEAS U5300





# Customers Also Bought



| BNC JACK DUAL CP RG174,188 | 26 NOVO MIL 15DP, LEAD FREE | UMNL SOK 20-14 PTPBR L/P | B-155-05 |
|----------------------------|-----------------------------|--------------------------|----------|
|                            |                             |                          |          |
|                            |                             |                          |          |

TE Part #350551-1

TE Part #D42180-000



TE Part #1658620-6

### Documents

TE Part #5225396-7

### **CAD** Files

### 3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_U5354-000002-002BA\_H.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_U5354-000002-002BA\_H.3d\_igs.zip

### U5354-000002-002BA

Industrial Pressure Transducer, Absolute, 4 – 20 mA Output Signal, 3X Rated Proof Pressure Range, MEAS U5300



English

Customer View Model ENG\_CVM\_CVM\_U5354-000002-002BA\_H.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

U5300

English