



Connectors > Automotive Connectors > Automotive Connector Accessories > Other Automotive Connector Accessories



Primary Product Material: **Steel**

Automotive Connector Accessory Type: **Strain Relief**

Operating Temperature Range: **-55 – 125 °C [-67 – 257 °F]**

Features

Product Type Features

Automotive Connector Accessory Type	Strain Relief
-------------------------------------	---------------

Body Features

Primary Product Material	Steel
--------------------------	-------

Usage Conditions

Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
-----------------------------	----------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # CAT-H396-CH8172
DEUTSCH HDP20 Housings

TE Part # CAT-H3930-CH8172
DEUTSCH HD30 Housings

Also in the Series | DEUTSCH HD30

Automotive Connector Caps & Covers
(26)

Automotive Housings(768)

Connector Seals & Cavity Plugs(10)

Connector Strain Relief(5)

Insertion & Extraction Tools(11)

Other Automotive Connector
Accessories(17)


Also in the Series | DEUTSCH HD




Automotive Connector Caps & Covers
(26)



Automotive Housings(768)



Other Automotive Connector
Accessories(17)



PCB Headers & Receptacles(1)



Rectangular Power Connectors(1)

Customers Also Bought



TE Part #CAT-H3930-CH8172
DEUTSCH HD30 Housings



TE Part #WHDS-18-2
STRAIN RELIEF, HD30, 18SZ, RA



TE Part #WHDS-24-1
STRAIN RELIEF, HD30, 24SZ, ST



TE Part #HDP26-24-21SE
PLG, 21P, BLK, E, 12/16, S



TE Part #936311-1
COVER HSG FOR 090 SLD 2P PLUG

Documents

Product Drawings

STRAIN RELIEF, HD30, 24SZ, RA

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_WHDS-24-2_1A.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_WHDS-24-2_1A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_WHDS-24-2_1A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[DEUTSCH HD30 & HDP20 CONNECTOR SERIES](#)

English

[CONNECTOR SELECTOR](#)

English

Product Specifications

[Application Specification](#)

English