DTS20W15-35PN [V001] ACTIVE

DEUTSCH | DEUTSCH 38999 Series III

TE Internal #: YDTS20W15-35PNV001

37 Position Circular Connector, Wire-to-Wire, .06 mm [.1 in]

Centerline, Sealable, Wire & Cable, Power & Signal, Panel Mount,

DEUTSCH 38999 Series III

View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors > D38999: Square Flange, 15-35 insert



Number of Positions: 37

Connector System: Wire-to-Wire
Centerline (Pitch): .06 mm [.1 in]

Sealable: Yes

Connector & Contact Terminates To: Wire & Cable

All D38999: Square Flange, 15-35 insert (41)

Features

Product Type Features

Shell Plating Material

Circular Connector Insulation Material Type

Shell Base Material

Hermetically Sealed

Connector Product Type	Connector Assembly
Connector System	Wire-to-Wire
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Circular Connector Type	Receptacle
Shell Type	Square Flange Receptacle
Configuration Features	
Configuration Features Number of Positions	37
	37
Number of Positions	
Number of Positions Number of Power Positions	0

Cadmium O.D.

Hard Dielectric/Silicone

Aluminum

No



Contact Features

Contact Current Rating (Max)	5 A
Reverse Gender	No
Contact Layout Arrangement	Circular
Circular Connector Contact Type	Pin/Socket

Mechanical Attachment

Connector Mounting Type	Panel Mount
Polarization Code	Normal
Mating Alignment Type	Polarization
Mating Retention	Without

Housing Features

Centerline (Pitch)	.06 mm[.1 in]
Circular Connector Shell Size	D (15)
Alignment Keyed	Clocking

Dimensions

Wire Size	22 – 26 AWG
VVII e SIZe	ZZ – ZO AVVO

Usage Conditions

Operating Temperature Range -65 – 200 °C[-85 – 392 °F]
--

Operation/Application

Circuit Application	Power & Signal
Shielded	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2024 (240) SVHC > Threshold: Cd (3.41% in Plating) Pb (1.2% in Pin Copper Alloy) Article Safe Usage Statements:



Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content	Not Yet Reviewed for halogen content
-----------------	--------------------------------------

Solder Process Capability

Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | DEUTSCH 38999 Series III



Customers Also Bought

04/15/2025 01:42AM | Page 3

37 Position Circular Connector, Wire-to-Wire, .06 mm [.1 in] Centerline, Sealable, Wire & Cable, Power & Signal, Panel Mount, DEUTSCH 38999 Series III





TE Part #1-794617-0 10POS,MICRO MNL,RCPT HSG



TE Part #6-146131-2 26 MODII HDR DRST SFMNT B/A LF



TE Part #ZPF000000000008121 983-6K 16-10 SN



TE Part #YDTS20W15-19PNV001 RECP ASSY



TE Part #YDTS20W17-06SNV001 RECP ASSY



TE Part #YDTS20W21-35SNV001 RECP ASSY



TE Part #YDTS20W15-35SNV001 RECP ASSY



TE Part #YDTS26F09-98SNV001
PLUG ASSY



TE Part #ZPF000000000008246 983-6KE 14-07 SN

TE Part #1609166-2 CDEUL010B6-S=F6341A

Documents

Product Drawings

RECP ASSY

English

Datasheets & Catalog Pages

DEUTSCH MIL-DTL-38999 CIRCULAR CONNECTORS

English