

HDP26-24-19PE-L024

✓ ACTIVE

DEUTSCH | DEUTSCH HDP, DEUTSCH HD

TE Internal #: YHDP26-24-19PEL024

19 Position Housing, Housing for Female Terminals, Wire-to-Wire, Sealable, Black, Wire & Cable, Power, Cable Mount (Free-Hanging), Hybrid

[View on TE.com >](#)



Connectors > Automotive Connectors > Automotive Housings > DEUTSCH HDP20 Housings



Number of Positions: 19

Connector & Housing Type: Housing for Female Terminals

Mating Pin Diameter: 1.59 mm, 2.39 mm [.063 in, .094 in]

Connector System: Wire-to-Wire

Sealable: Yes

[All DEUTSCH HDP20 Housings \(357\)](#)

Features

Product Type Features

Mixed & Hybrid Connector	Yes
Connector Shape	Circular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Wire
Sealable	Yes
Primary Locking Feature	Integrated in Housing
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Blank Cavity Position	0
Connector Modification	Wide Threaded Adapter
Connector Seal Code	E Seal
Number of Positions	19



Electrical Characteristics

Operating Voltage	250 VDC
Nominal Voltage Architecture	12 V, 24 V, 48 V

Body Features

Cable Exit Angle	180°
Primary Product Color	Black

Contact Features

Contact Size	Size 12, Size 16
Contact Type	Pin
Mating Pin Diameter	1.59 mm, 2.39 mm[.063 in][.094 in]
Contact Current Rating (Max)	13 A, 25 A

Mechanical Attachment

Strain Relief	Add By Accessory
Terminal Position Assurance	No
Mating Alignment Type	Guide Slot
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PA GF
------------------	-------

Dimensions

Compatible Insulation Diameter Range	1.35 – 3.05 mm, 2.46 – 4.01 mm[.097 – .158 in][.053 – .12 in]
Product Width	49.53 mm[1.95 in]
Product Length	38.3 mm[1.508 in]
Connector Height	49.53 mm[1.95 in]

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

IP Rating	IP67
-----------	------



UL Flammability Rating

20mm Flame Test per Standard UL-94

Packaging Features

Packaging Quantity	1
Packaging Method	Box

Other

Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Dodecamethylcyclohexasiloxane (D6) (.5% in 27520056304) Decamethylcyclopentasiloxane (D5) (.5% in 27520056304) Octamethylcyclotetrasiloxane (D4) (.5% in 27520056304) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

 TE Part # CAT-D48-ST273 DEUTSCH Solid Contacts	 TE Part # HD30-24BT-90-BK BOOT, 24SZ, RA, BLK	 TE Part # HD30-24BT BOOT, 24SZ, ST, GRY	 TE Part # CAT-J67-DSCC16 DEUTSCH Size 16 Crimp Contacts
 TE Part # 1060-12-0166 PIN, SF, SIZE 12, 12-14, NI/SN	 TE Part # CAT-D48-SFT273 DEUTSCH Stamped and Formed Contacts	 TE Part # 1060-12-0144 PIN, SF, SIZE 12, 12-14, AU/SN	 TE Part # 2300908-1 0460-003-16329, PIN, SOLID, 20-24AWG, AU
 TE Part # CAT-D48-SP729 DEUTSCH Sealing Plugs	 TE Part # 0411-336-1605 EXT TOOL, SIZE 16, 16-20 AWG, E, DRK BLU	 TE Part # 0411-337-1205 EXT TOOL, SIZE 12, 12-14 AWG, E, ORG	 TE Part # CAT-H396-CH8172 DEUTSCH HDP20 Housings
 TE Part # DT-RT1 EXT TOOL, FRONT RELEASE	 TE Part # Y2428-024-24050000 BKSHL, 24SZ, BLK, ST, L024, HDP	 TE Part # 1060-12-0222 PIN, SF, SIZE 12, 10, NI/NI	 TE Part # HD30-24BT-BK BOOT, 24SZ, ST, BLK

Also in the Series | DEUTSCH HD

 Automotive Connector Caps & Covers (4)	 Automotive Housings(357)	 Other Automotive Connector Accessories(6)	 PCB Headers & Receptacles(1)
---	---	--	---



Rectangular Power Connectors(1)

Also in the Series | **DEUTSCH HDP**




Automotive Connector Caps & Covers (4)



Automotive Housings(357)



Connector Seals & Cavity Plugs(1)



Other Automotive Connector Accessories(6)

Customers Also Bought



TE Part #EK5493-000
ES2000-NO.8-A1-0-2IN



TE Part #505872P034
VERSAFIT-3/16-0-0.9375IN



TE Part #2098251-1
SOC, SF, SIZE 16, 16-18 AWG, AU/SN



TE Part #Y2428-024-24050000
BKSHL, 24SZ, BLK, ST, L024, HDP



TE Part #HDB36-24-91SE-059
BR AWY PL ASM,MC



TE Part #2292801-1
AS16,PLUG BACKSHELL KIT,ST,08P, SMOOTH



TE Part #CAT-AM7801-CH8172
AMPSEAL 16 Housings



TE Part #C34252-000
ES1000-NO.3-B8-X-55MM



TE Part #0830956003
RBK-85-NR5100/A-X-12MM



Documents

Product Drawings

PLG, 19P, BLK, E, WTHD, 12/16, P

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_YHDP26-24-19PEL024_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_YHDP26-24-19PEL024_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_YHDP26-24-19PEL024_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

ICT Terminals and Connectors Catalogue

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English

Agency Approvals

UL Report

English