



DEUTSCH

TE Internal #: ZPF000000000001905

Socket Contact, Gold (Au), 115 VAC, 115 VDC, Spring Contact Retention, Size 8 Contact Size, Discrete Wire, 10 – 8 AWG, 5.26 – 8.36 mm<sup>2</sup> Wire, Crimp

[View on TE.com >](#)

Connectors > Contacts > Connector Contacts

Contact Type: **Socket**

Contact Mating Area Plating Material: **Gold (Au)**

Wire Contact Termination Area Plating Material: **Gold**

Operating Voltage: **115 VDC**

**Features**

**Product Type Features**

Sealable	Yes
----------	-----

**Configuration Features**

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

**Electrical Characteristics**

Operating Voltage	115 VDC
-------------------	---------

**Contact Features**

Barrel Type	Closed
Contact Type	Socket
Contact Mating Area Plating Material	Gold (Au)
Wire Contact Termination Area Plating Material	Gold
Contact Retention Within Housing	With
Contact Size	Size 8
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	46 A

**Termination Features**

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable

**Mechanical Attachment**

Contact Retention Type Within Housing	Spring
---------------------------------------	--------

**Dimensions**

Wire Size	5.26 – 8.36 mm <sup>2</sup>
-----------	-----------------------------



### Usage Conditions

Operating Temperature Range	-65 – 175 °C[-85 – 347 °F]
-----------------------------	----------------------------

### Operation/Application

Circuit Application	Power
---------------------	-------

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
------------------------------	---------------------------

EU ELV Directive 2000/53/EC	Compliant with Exemptions
-----------------------------	---------------------------

China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
---	--------------------------------------

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2024 (240) SVHC > Threshold: Pb (1.2% in alloy) <b>Article Safe Usage Statements:</b> Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
--	---

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Not reviewed for solder process capability
---------------------------	--

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Customers Also Bought




TE Part #CAT-R21-T7902  
 Single Wall VPB: Heat Shrink Tubing, 2:  
 1 Shrink Ratio




TE Part #D14966-000  
 D-SCE-2.4-50-S1-9




TE Part #ZPF000000000015256  
 DMC-M 12-20 BA



TE Part #ZPF000000000002015  
 182-0664-06



TE Part #0632753001  
 100G0111-0.25-3



TE Part #9922713001  
 100G0111-0.40-0



TE Part #ZPF000000000137412  
 D-EASY 03 B 05



TE Part #ZPF00000000015323  
 DMC-M 22-03 AA



TE Part #ZPF000000000099320  
 D-EASY 03 B 02

## Documents

### Datasheets & Catalog Pages

[DEUTSCH High Power Contacts for MIL-DTL-5015](#)

English