724-0003-22 ACTIVE

DEUTSCH

TE Internal #: ZPF000000000003599 Socket Contact, Gold (Au), 115 VAC, 115 VDC, Spring Contact Retention, Size 22 Contact Size, Discrete Wire, 22 AWG, .32 mm²

Wire, Crimp, Copper Alloy

View on TE.com >



Connectors > Contacts > Connector Contacts



Contact Type: Socket

Contact Mating Area Plating Material: Gold (Au)

Wire Contact Termination Area Plating Material: Gold

Operating Voltage: 115 VDC

Features

Product Type Features	
Sealable	Yes
Configuration Features	
Compatible With Wire & Cable Type	Discrete Wire
Electrical Characteristics	
Operating Voltage	115 VDC
Contact Features	
Barrel Type	Closed
Contact Type	Socket
Contact Mating Area Plating Material	Gold (Au)
Wire Contact Termination Area Plating Material	Gold
Wire Contact Termination Area Plating Material	Gold
Wire Contact Termination Area Plating Material Contact Retention Within Housing	Gold With
Wire Contact Termination Area Plating Material Contact Retention Within Housing Contact Size	Gold With Size 22
Wire Contact Termination Area Plating Material Contact Retention Within Housing Contact Size Contact Base Material	Gold With Size 22 Copper Alloy

Crimp

Wire & Cable

Product Terminates To

Termination Method to Wire & Cable



Contact Retention Type Within Housing	Spring
Dimensions	
Wire Size	.32 mm ²
Usage Conditions	
Operating Temperature Range	-65 – 175 °C[-85 – 347 °F]
Operation/Application	
Circuit Application	Power, Signal & High Speed Data

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (.6% in in component part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Customers Also Bought




















TE Part #ER6729-000 D-436-82CS9376

TE Part #A32355-000 CM-SCE-TP-1/4-4H-4CS34034

Documents

CAD Files

Customer View Model

ENG_CVM_CVM_ZPF00000000003599_1.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_ZPF00000000003599_1.3d_igs.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_ZPF00000000003599_1.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.