DMC-M 99-01 PN 🗸 ACTIVE

DEUTSCH

TE Internal #: ZPF00000000099684 Insert for Contacts, Pin, Crimp, Wire-to-Wire, Sealable, 20 – 16 AWG / 26 – 22 AWG, .15 – .4 mm² / .61 – 1.21 mm² Wire, 13 A View on TE.com >



Connectors > Rectangular Connectors > Rectangular Contact Inserts > Hybrid Module: Male & female inserts



Rectangular Connector Insert Type: Insert for Contacts

Contact Type: Pin

Termination Method to Wire & Cable: Crimp

Connector System: Wire-to-Wire

Number of Positions: 11

All Hybrid Module: Male & female inserts (20)

Features

Product Type Features

Connector & Contact Terminates To

Rectangular Connector Insert Type

Wire & Cable

Insert for Contacts

Rectangular Connector Insert Type	Insert for Contacts			
Connector System	Wire-to-Wire			
Sealable	Yes			
Configuration Features				
Number of Positions	11			
Body Features				
Primary Product Material	Composite			
Contact Features				
Contact Type	Pin			
Contact Current Rating (Max)	13 A			
Termination Features				
Termination Method to Wire & Cable	Crimp			
Mechanical Attachment				
Connector Mounting Type	Cable Mount (Free-Hanging)			
Housing Features				

DMC-M 99-01 PN

Insert for Contacts, Pin, Crimp, Wire-to-Wire, Sealable, 20 – 16 AWG / 26 – 22 AWG, . $15 - .4 \text{ mm}^2$ / .61 – 1.21 mm² Wire, 13 A



Centerline (Pitch)	2.62 mm, 4.4 mm[.103 in][.173 in]
Dimensions	
Wire Size	.61 – 1.21 mm², .15 – .4 mm²
Usage Conditions	
Operating Temperature Range	-55 – 175 °C[-67 – 347 °F]
Operation/Application	
Circuit Application	Power, Signal & High Speed Data
Packaging Features	
Packaging Method	Package
	Ŭ
Packaging Quantity	1
Packaging Quantity Product Compliance For compliance documentation, visit the product page on TE.com>	1
Product Compliance	1 Compliant with Exemptions
Product Compliance For compliance documentation, visit the product page on TE.com>	1
Product Compliance For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	1 Compliant with Exemptions

Halogen Content

Solder Process Capability

(247) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Pb (1.2% in alloy) Dodecamethylcyclohexasiloxane (D6) (1% in component) Decamethylcyclopentasiloxane (D5) (1% in component) Octamethylcyclotetrasiloxane (D4) (1% in component) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

governmental regulations relevant to your geographic location.

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these

DMC-M 99-01 PN

Insert for Contacts, Pin, Crimp, Wire-to-Wire, Sealable, 20 – 16 AWG / 26 – 22 AWG, . 15 – .4 mm² / .61 – 1.21 mm² Wire, 13 A



limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Customers Also Bought

	TE Part #ZPF00000000103303 787-8009-00	TE Part #D369-P99-NP0 369 9 WAY PLUG, NO CONTACTS, PIN	TE Part #1658646-1 KIT,HDP-20,OVRMLD,RCPT,SIZE 1,	TE Part #ZPF0000000018795 FDBA 53H 10-6 PN-K
TE Part #1658648-1 TE Part #ZPF0000000015226 TE Part #ZPF00000000101626 TE Part #ZPF000000000000000000000000000000000000		TE Part #ZPE0000000015226	TE Part #ZPE0000000101626	TE Part #ZPF0000000099713



Documents

Product Drawings DMC-M 99-01 PN

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_ZPF0000000099684_1.2d_dxf.zip English

C For support call+1 800 522 6752

DMC-M 99-01 PN

Insert for Contacts, Pin, Crimp, Wire-to-Wire, Sealable, 20 – 16 AWG / 26 – 22 AWG, . 15 – .4 mm² / .61 – 1.21 mm² Wire, 13 A



Customer View Model

ENG_CVM_CVM_ZPF0000000099684_1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_ZPF0000000099684_1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages DMC-M Series Single Module EN4165

English