DMC-MD 24 B ACTIVE

DEUTSCH

TE Internal #: ZPF00000000100857

Housing, Receptacle, Shielded, Normal, 1 Position, 1 Row, 125

VAC, Sealable, Power & Signal, Rectangular Wire & Cable

Connectors & Housings

View on TE.com >



Connectors > Rectangular Connectors > Standard Rectangular Connectors > Rectangular Connector Receptacles, Tool-less Assembly











Connector Product Type: Housing

Connector & Housing Type: Receptacle

Mating Alignment: With

Mating Alignment Type: Keyed

Mating Retention: With

All Rectangular Connector Receptacles, Tool-less Assembly (30)

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Receptacle
Insertion Force Type	Normal
Sealable	Yes
Configuration Features	
Contacts Preloaded	No
Number of Positions	1
Number of Rows	1
Electrical Characteristics	
Operating Voltage	125 VAC

В

Body Features

Connector & Keying Code



Mechanical Attachment

Mating Alignment	With
Mating Alignment Type	Keyed
Mating Retention	With
Mating Retention Type	Locking Latch
Connector Mounting Type	Panel Mount

Housing Features

Housing Material	Composite

Usage Conditions

Operating Temperature Range	-65 – 175 °C[-85 – 347 °F]

Operation/Application

Shielded	Yes
Circuit Application	Power & Signal

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: 4,4'-isopropylidenediphenol (Bisphenol A) (1% in component) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products



will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Customers Also Bought



TE Part #ZPF000000000099714 DMC-MD 24 N



TE Part #ZPF00000000100306 732-8256-22



TE Part #ZPF00000000110280 732-8255-20



TE Part #ZPF00000000110288 787-8055-21M



TE Part #1775485-2 Battery Holder, 3.6mm, BLU,low profile



Rectangular Connector Plugs, Toolless Assembly

TE Part #ZPF000000000101626 787-0016-00

TE Part #2828645-1 ASSY PIN MODULE, 16-02 PCB STRAIGHT, LOW

Documents

Product Drawings

DMC-MD 24 B

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_ZPF00000000100857_1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_ZPF00000000100857_1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_ZPF00000000100857_1.3d_stp.zip

English

Housing, Receptacle, Shielded, Normal, 1 Position, 1 Row, 125 VAC, Sealable, Power & Signal, Rectangular Wire & Cable Connectors & Housings



By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

DMC-M Series Single Module EN4165

English