




Connectors > Connector Accessories > Connector Strain Relief > Connector Backshell Accessories: Cable Clamp, Tool-less Assembly



Strain Relief Accessory Type: **Cable Clamp Kit**

Number of Positions: **1**

Sealable: **No**

Operating Temperature Range: **-55 – 175 °C [ -67 – 347 °F ]**

[All Connector Backshell Accessories: Cable Clamp, Tool-less Assembly \(2\)](#)

Features

Product Type Features

Strain Relief Accessory Type	Cable Clamp Kit
Sealable	No

Configuration Features

Number of Positions	1
---------------------	---

Housing Features

Compatible With Connector Shape	Rectangular
---------------------------------	-------------

Usage Conditions

Operating Temperature Range	-55 – 175 °C[-67 – 347 °F]
-----------------------------	----------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JAN 2025 (247)  
Candidate List Declared Against: JAN 2024 (240)  
Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts

TE Part # ZPF000000000100828  
DMC-MD 20 A


Customers Also Bought

TE Part #487545-3  
006 HOUSING FFC RCPT 050CL SR

TE Part #CAT-AS22759-32  
SAE AS22759: 32/33/44/45/46 - Single-Wall, Lightweight Wire

TE Part #487547-1  
FFC RCPT CONTACT .050CL

TE Part #CAT-DMC-MD-20  
Rectangular Connector Plugs, Tool-less Assembly



Documents

Product Drawings

787-8055-17M

English

787-8055-17M

French

CAD Files

Customer View Model

ENG\_CVM\_CVM\_ZPF000000000204892\_F.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_ZPF000000000204892\_F.3d\_stp.zip

English

Customer View Model

ENG\_CVM\_CVM\_ZPF000000000204892\_F.2d\_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

DEUTSCH DMC-MD Shielded Cable Clamp

English