



USB-C to DisplayPort Bi-Directional Active Adapter Cable (M/M), 4K 60 Hz, HDR, Locking DP Connector, 6 ft. (1.8 m)

MODEL NUMBER: U444-006-DP-BD











Bi-directional audio/video cable connects a USB-C/Thunderbolt 3 source device to a DisplayPort monitor or vice versa.

Features

Bi-Directional USB-C/DisplayPort Cable Delivers UHD Video to a 4K Monitor

This USB Type-C to DisplayPort adapter (M/M) connects a 4K-enabled monitor, projector or television to your desktop computer, tablet, laptop, notebook, MacBook, Chromebook or smartphone. Because the cable is capable of transmitting data in either direction, you can connect a DisplayPort monitor to a USB-C (or Thunderbolt 3) source device or a USB-C (or Thunderbolt 3) monitor to a DisplayPort source. No other adapter or cable is needed to complete your 4K audio/video connection.

Supports USB-C DisplayPort Alternate Mode for Converting Audio/Video Signals

By connecting the cable to a source device that supports USB DisplayPort Alt Mode, you can output 4K video and digital audio to a monitor, television or projector without installing special software drivers. The U444-006-DP-BD is ideal for multitasking, presenting video at trade shows and conferences, editing documents, playing online games and watching 4K movies on a larger screen.

Transmits Crystal-Clear 4K HDMI Video with HDR and 4:4:4 Color

The U444-006-DP-BD supports Ultra HD video resolutions up to 3840 x 2160 (4K x 2K) at 60 Hz with multi-channel digital audio. It's compatible with DisplayPort 1.2 standards for carrying HDR (high dynamic range) signals, which provides a wide range of vibrant colors with richer contrast, brighter whites and deeper blacks. HDCP 2.2 compliance allows you to stream iTunes and Netflix content with no complications. This adapter also supports 4:4:4 chroma subsampling for top-level PC gaming or using your HDTV as a PC monitor.

Locking DP Connector Helps Prevent Accidental Disconnection and Expensive Downtime

Having a cable come loose accidentally can mean costly and time-consuming signal loss. The locking DisplayPort connector helps you avoid such danger, protecting your audio/video transmission by maintaining a secure link without failure. The locking cable is also invaluable when moving equipment in a rack or removing equipment from tight areas, ensuring the cord always stays connected.

Reversible USB-C Connector Attaches in Either Direction

Unlike traditional USB cables that connect in only one direction, the reversible USB-C male connector plugs into a USB-C or Thunderbolt 3 port in either direction for a fumble-free connection every time.

Ready to Use Right from the Package, So You Can Plug and Play Immediately

Highlights

- Bi-directional cable allows male ends to connect to either source or display
- Converts audio/video signals from sources supporting USB DisplayPort Alt Mode
- Delivers Ultra HD picture quality at resolutions up to 3840 x 2160 (4K x 2K) @ 60 Hz
- Reversible USB-C plug connects in either direction for immediate no-fuss use
- Locking DisplayPort connector prevents cable from coming loose accidentally

Applications

- Watch 4K video content from a Blu-ray player, game console, laptop or tablet on a 4K television or projector
- Connect a Chromebook or MacBook to a conference table's A/V box to give a video presentation on large screens
- Attach a 4K monitor to your PC to allow easier multitasking
- Play online or PC video games that display optimal graphics
- Set up digital signage in an office lobby or trade show booth

System Requirements

- Source or display device with USB-C or Thunderbolt 3 port that supports USB DisplayPort Alternate Mode
- Source or display device with DisplayPort input (DisplayPort 1.2 required to achieve 4K @ 60 Hz)

Package Includes

- U444-006-DP-BD USB-C to DisplayPort Bi-Directional Adapter Cable, M/M, 6 ft. (1.8 m)
- USB-C adapter, F/M





The plug-and-play USB Type-C to DisplayPort bi-directional cable requires no software or external power. The six-foot cable is backward compatible with previous USB and DisplayPort generations, so you can use it with legacy equipment.

Specifications

OVERVIEW		
UPC Code	037332250711	
Product Type	Active Cable	
Technology	DisplayPort	
Cable Type	Active	
VIDEO		
Max Supported Video Resolution	3840 x 2160 (4K) @ 60Hz	
HDR Support	Yes	
Chroma Sub Sampling	4:4:4	
INPUT		
Bus Powered	Yes	
CONNECTIONS		
Side A - Connector 1	USB C (MALE)	
Side B - Connector 1	DISPLAYPORT (MALE)	
Connector Plating	Gold	
Contact Plating	Gold	
PHYSICAL		
Color	Black	
Material of Construction	PVC, ABS	
Cable Jacket Color	Black	
Cable Jacket Rating	VW-1	
Cable Outer Diameter (OD)	4.5mm	
Cable Length (ft.)	6	
Cable Length (m)	1.83	
Cable Length (in.)	72	
Shipping Dimensions (hwd / in.)	9.00 x 7.00 x 0.50	
Shipping Weight (lbs.)	0.14	
ENVIRONMENTAL		





Operating Temperature Range	14° to 104°F (-10° to 40°C)	
Storage Temperature Range	5° to 122°F (-15° to 50°C)	
Operating Humidity Range	0% to 90% RH, Non-Condensing	
Storage Humidity Range	0% to 90% RH, Non-Condensing	
COMMUNICATIONS		
EDID Compatible	Yes	
FEATURES & SPECIFICATIONS		
IP68 Rated	No	
IP20 Rated	No	
Displayport Specification	1.2	
HDCP Specification	2.2	
Driver Required	No	
STANDARDS & COMPLIANCE		
Product Compliance	CE (Europe); FCC (USA); REACH; RoHS; UKCA; WEEE	
WARRANTY & SUPPORT		
Product Warranty Period (Worldwide)	3-year limited warranty	

1000 Eaton Boulevard Cleveland, OH 44122 United States https://tripplite.eaton.com © 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark. All other trademarks are the property of their respective owners.