



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Insulation Boots & Sleeves



Insulation Boot & Sleeve Product Type: **Insulation Boot**

Terminal Orientation: **Straight**

Primary Product Material: **Silicone Rubber**

Primary Product Color: **Clear**

Packaging Method: **Bag**

Features

Product Type Features

Insulation Boot & Sleeve Product Type	Insulation Boot
---------------------------------------	-----------------

Body Features

Primary Product Material	Silicone Rubber
Primary Product Color	Clear

Contact Features

Terminal Orientation	Straight
----------------------	----------

Dimensions

Product Length	20.3 mm[.799 in]
----------------	------------------

Usage Conditions

Operating Temperature Range	0 – 60 °C[32 – 140 °F]
-----------------------------	------------------------

Packaging Features

Packaging Quantity	100
Packaging Method	Bag

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions



China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (3.17% in 16505118405) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 1423674-3 W54-XB1A4A10-6=CKTBKR,THERM,PB	 TE Part # 5-1423674-1 W54-XA1A99C10-10=CKTBKR,THERM,	 TE Part # 5-1423674-4 W54-XA1A99C10-25=CKTBKR,THERM,	 TE Part # 7-1423674-8 W54-XB1A4A10-35=CKTBKR,THERM,P
 TE Part # 4-1423675-0 W57-XB1A4A10-20=CKTBKR,THERM,P	 TE Part # 9-1423364-8 W57-XB1A7A10-15=CKTBKR,THERM, PB,SCW/QC	 TE Part # 1-1423364-2 W57-XB1A4A10-5=CKTBKR,THERM, PB,QC.250,BU	 TE Part # 1423674-8 W54-XB1A4A10-15=CKTBKR,THERM,P



TE Part # 2-1423674-8
W54-XA1C4A10-30=CKTBKR,THERM,P

TE Part # 3-1423675-9
W57-XB1A4A10-15=CKTBKR,THERM,P

TE Part # 1423674-5
W54-XB1A4A10-8=CKTBKR,THERM,PB

TE Part # 1423674-9
W54-XB1A4A10-20=CKTBKR,THERM,P

TE Part # 9-1423364-6
W57-XB1A7A10-5=CKTBKR,THERM,PB,SCW/QC

TE Part # 1423674-2
W54-XB1A4A10-5=CKTBKR,THERM,PB

TE Part # 9-1423364-9
W57-XB1A7A10-20=CKTBKR,THERM,PB,SCW/QC

TE Part # 9-1423364-7
W57-XB1A7A10-10=CKTBKR,THERM,PB,SCW/QC

TE Part # 1-1423364-3
W57-XB1A4A10-7=CKTBKR,THERM,PB,QC.250,BU

TE Part # 5-1423674-2
W54-XA1A99C10-15=CKTBKR,THERM,P

TE Part # 1423674-6
W54-XB1A4A10-10=CKTBKR,THERM,P

TE Part # 1-1423674-0
W54-XB1A4A10-25=CKTBKR,THERM,P

Also in the Series | Potter & Brumfield W57

Circuit Breakers(24)

Insulation Boots & Sleeves(2)

Customers Also Bought

TE Part #1423674-5
W54-XB1A4A10-8=CKTBKR,THERM,PB

TE Part #1423674-9
W54-XB1A4A10-20=CKTBKR,THERM,P

TE Part #2-521406-2
205 ULTRA-FAST RCPT 22-18 TPBR

TE Part #L9000159-01
ANTENNA IND DIPOLE 916MHZ RG58 2M SMA



TE Part #640387-6
06P MTA156 HDR ASSY SQ R/A

TE Part #1423674-6
W54-XB1A4A10-10=CKTBKR,THERM,P

TE Part #1-1423674-1
W54-XB1A4A10-30=CKTBKR,THERM,P

TE Part #1423674-3
W54-XB1A4A10-6=CKTBKR,THERM,PB

TE Part #5983226001
DSPL-NR2-0-50MM

TE Part #2-1614884-1
CPF 0805 15R 0.1% 25PPM 1K RL

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1423696-6_O.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-1423696-6_O.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1423696-6_O.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

W54 Push To Reset Only Thermal Circuit Breaker

English