TE Internal #: 1-5406010-2

TE Internal Description: M/J,TOP,6P/2C,BRIDGE,RJ-11T,LUBED

View on TE.com >



Connectors > Modular Jacks & Plugs > RJ11 Connectors



Port Configuration: Single Port
Port Matrix Configuration: 1 x 1
Connector Profile: Standard

Modular Jacks & Plugs Products: RJ Type Jacks & Plugs

Connector Contact Density: Standard

## **Features**

# **Product Type Features**

Connector & Contact Terminates To	Printed Circuit Board
Connector Product Type	Connector Assembly
Connector System	Cable-to-Board, Cable-to-Panel
Modular Jacks & Plugs Products	RJ Type Jacks & Plugs
Modular Connector Style	Jack

# **Configuration Features**

PCB Mount Orientation	Right Angle
Port Configuration	Single Port
Port Matrix Configuration	1 x 1
Connector Contact Density	Standard
Number of Positions	6

## **Body Features**

Shield Material	Brass
Connector Profile	Standard
Modular Jack Latch Orientation	Standard - Latch Down

### **Contact Features**

Contact Underplating Material	Nickel
Contact Base Material	Phosphor Bronze
Contact Mating Area Plating Material	Gold (Au)
	50 μin



PCB Contact Termination Area Plating Material	Tin
Termination Features	
Termination Method to PCB	Through Hole - Solder
Mechanical Attachment	
Connector Mounting Type	Board Mount
Panel Mount Feature	Without
Housing Features	
Centerline (Pitch)	1.02 mm[.04 in]
Mating Entry Location	Тор
Housing Color	Black
Housing Material	Nylon
Dimensions	
PCB Tail Length	3.18 mm[.125 in]
PCB Thickness (Recommended)	1.57 mm[.062 in]
Connector Height	16.51 mm[.65 in]
Operation/Application	
Circuit Application	Signal
Shielded	No
Industry Standards	
UL Flammability Rating	UL 94V-0
Performance Category	Cat 3
Packaging Features	
Packaging Method	Box & Tray, Package
Packaging Quantity	176

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247)



Candidate List Declared Against: JUNE 2024 (241)

Does not contain REACH SVHC

Halogen Content

Not Low Halogen - contains Br or Cl > 900 ppm.


Solder Process Capability Wave solder capable to 265°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


# **Customers Also Bought**





















TE Part #1776294-4
TSB23004=EUROPA TERM BLK,8MM



# **Documents**

# **Product Drawings**

M/J,TOP,6P/2C,BRIDGE,RJ-11T,LUBED

English

### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_1-5406010-2\_D.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1-5406010-2\_D.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-5406010-2\_D.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.