TE Internal #: 2-2071409-1

General Purpose Contactor, DC, 1 Form A SPST-NO, 150 A Contact

Rating, 1.7 W Coil Power, Hermetically Sealed, 85 °C

View on TE.com >



Relays & Contactors > Electromechanical Relays











Relay & Contactor Type: General Purpose Contactor

Current Type: DC

Contact Arrangement: 1 Form A SPST-NO

Contact Current Rating: 150 A
Coil Power Rating DC: 1.7 W

### **Features**

### **Product Type Features**

Relay & Contactor Type	General Purpose Contactor
Configuration Features	
Auxiliary Switch Contact Arrangement	1 Form A, SPST-NO
Contact Number of Poles	3
Contact Arrangement	1 Form A SPST-NO
Electrical Characteristics	
Contact Switching Voltage (Max)	900 VDC
Contact Current Rating	150 A
Coil Power Rating DC	1.7 W
Body Features	
Enclosure Type	Hermetically Sealed
Contact Features	
Contact Material	Copper

**Termination Features** 



Auxiliary Termination & Connection Type	Wire Connector
Main Termination & Connection Type	M8 x 1.25
Coil Termination & Connection Type	Connector
Mechanical Attachment	
Torque (Main)	78 – 98 in-lbs
Product Mounting Feature Type	Mounting Plate, Screw
Dimensions	
Product Width	62 mm
Product Length	80.5 mm
Product Height	72.3 mm
Usage Conditions	
Environmental Ambient Temperature (Max)	85 °C
Operation/Application	
Current Type	DC
Packaging Features	
Packaging Method	Box

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these



limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts



# **Customers Also Bought**

















### **Documents**

#### **CAD Files**

Customer View Model

ENG\_CVM\_CVM\_2-2071409-1\_A4.3d\_igs.zip

### English

**Customer View Model** 

ENG\_CVM\_CVM\_2-2071409-1\_A4.3d\_stp.zip

### English

**Customer View Model** 

General Purpose Contactor, DC, 1 Form A SPST-NO, 150 A Contact Rating, 1.7 W Coil Power, Hermetically Sealed, 85 °C



ENG\_CVM\_CVM\_2-2071409-1\_A4.2d\_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

IHV150\_CN

English

IHV150\_EN

English

Agency Approvals

CQC\_CERT\_2017010303007186\_C1

English