

NECTOR

TE Internal #: 2829489-1

TE Internal Description: CABLE ASSY, NECTOR M, 5P PIN TO SOC,  
UL

[View on TE.com >](#)



Cable Assemblies > Copper Cable Assemblies > Lighting Cable Assemblies



Cable Assembly Type: **Nector M**

Number of Positions: **5**

Cable Assembly Length: **1.219 m [ 4 ft ]**

Operating Voltage: **600 VAC**

Wire Color (Base): **Black**

Features

Product Type Features

|                        |                 |
|------------------------|-----------------|
| Sealable               | No              |
| Cable Assembly Type    | Nector M        |
| Cable Assembly (End A) | Nector M Plug   |
| Cable Assembly (End B) | Nector M Socket |

Configuration Features

|                     |   |
|---------------------|---|
| Number of Positions | 5 |
|---------------------|---|

Electrical Characteristics

|                   |         |
|-------------------|---------|
| Operating Voltage | 600 VAC |
|-------------------|---------|

Body Features

|                         |       |
|-------------------------|-------|
| Wire Color (Base)       | Black |
| Connector Color (End A) | Black |
| Connector Color (End B) | Black |

Mechanical Attachment

|                       |       |
|-----------------------|-------|
| Mating Alignment Type | Keyed |
|-----------------------|-------|

Other

|                       |               |
|-----------------------|---------------|
| Cable Assembly Length | 1.219 m[4 ft] |
|-----------------------|---------------|

Product Compliance


For compliance documentation, visit the product page on TE.com>

|   |   |
|---|---|
| EU RoHS Directive 2011/65/EU                  | Not Yet Reviewed  |
| EU ELV Directive 2000/53/EC                   | Compliant   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                         |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2025 (247)<br>Not Yet Reviewed |
| Halogen Content                               | Not Yet Reviewed for halogen content                            |
| Solder Process Capability                     | Not reviewed for solder process capability                      |


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Customers Also Bought




TE Part #HDT-04-10  
CRIMP TOOL, HDT-04-10




TE Part #5-2337992-5  
RJ45 JACK MAG. POE 1GB LED 1X1 INV.




TE Part #295893-000  
55PC1131-20-0/2/9-9




TE Part #6-1609091-4  
1FBL3=F8540




TE Part #7-1423698-8  
W68-X2Q12-15V=CKTBKR,MAGHYD, LEVER,QC.250



TE Part #1625867-4  
RP 1J 0.166W 205R 0.1% 25PPM 1K RL



TE Part #103682-6  
07 MTE PANEL MOUNT SR



TE Part #91547-1  
CCI 53 SERIES TAPER PIN 24-22 ASSY



Documents

Product Drawings

CABLE ASSY, NECTOR M, 5P PIN TO SOC, UL

English

Agency Approvals

UL Report

English