TE Internal #: 62827-1

Quick Disconnect Tab, 23 – 22 AWG, .26 – .33 mm² Wire, Straight,

Stainless Steel, Unplated Plating, Strip/Reel, Open Barrel,

Uninsulated

View on TE.com >



Terminals & Splices > Quick Disconnects











Quick Disconnect Terminal Type: Tab

Wire Size: .26 – .33 mm²

Terminal Orientation: Straight

Contact Base Material: Stainless Steel

Features

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
Contact Features	
Quick Disconnect Terminal Type	Tab
Terminal Orientation	Straight
Contact Base Material	Stainless Steel
Terminal Plating Material	Unplated
Barrel Type	Open
Termination Features	
Product Terminates To	Wire & Cable
Mechanical Attachment	
Wire Insulation Support	Without
Dimensions	
Product Length	15.24 mm[.6 in]
Terminal Material Thickness	.2 mm[.008 in]
Wire Size	.26 – .33 mm²



Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 - 250 °C[-40 - 482 °F]
Packaging Features	
Packaging Quantity	10000
Packaging Method	Strip/Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





TE Part # 2150629-1
OCEAN_2.0_Applicator-E-050F-REM



TE Part # 7-2150629-7 OCEAN_2.0_SPARE_PART_KIT-050F



TE Part # 63257-1 CONTACT TERMINAL 22-18 AWG TPBR



TE Part # 61148-1
BRUSH HOLDER AMPLIVAR 22-17
AWG PHBZ



TE Part # 2150629-2

OCEAN_2.0_Applicator-E-050F-REA



TE Part # 62009-1 BRUSH CONTACT TAB 20-14 AWG PHBZ



TE Part # 63701-1 WELD TAB 20-16 AWG NPSTL



TE Part # 62153-1 WELD TAB 20-16 AWG TPSTL




TE Part # 63257-2 CONTACT TERMINAL 22-18 AWG TPBR



Customers Also Bought



TE Part #1-2176633-1 SQMB10 2R7 (WIRE) 5%



TE Part #095226-000 S1030-TAPE-3/4X33FT



TE Part #173977-2 CT CONN MT REC ASSY 2P




TE Part #5-146085-1 10 SYSTEM 50 HDR SRST SHRD SN



TE Part #2-32951-1 PG R 22-16 COMM 22-18 MIL 8



TE Part #5-1393252-6 W67-X2Q12-15=M6/M7/M9/W6/W7



TE Part #696010-2 SPLICE BUTT PG 16-14/22-18





TE Part #2119955-2
COMMERCIAL LUBRICATOR END

TE Part #469766-1 BUSHING, FLYWHEEL REPLACEMENT

Documents

Product Drawings

WELD TAB 24-22 AWG SST

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_62827-1_K.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_62827-1_K.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_62827-1_K.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.