




Terminals & Splices > Automotive Terminals > TIMER, RECEPTACLE AND TAB



Terminal Type: **Receptacle**

Wire Size: **20 – 17 AWG**

Mating Tab Width: **2.8 mm [.11 in]**

Interface Plating: **Tin (Sn)**

[All TIMER, RECEPTACLE AND TAB \(279\)](#)

Features

Product Type Features

Receptacle Style	180°
Primary Locking Feature	Locking Lance
Sealable	No

Contact Features

Typical Current Rating	30 A
Crimp Type	F-Crimp
Contact Size	2.8mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Terminal Type	Receptacle
Mating Tab Width	2.8 mm[.11 in]
Interface Plating	Tin (Sn)
Mating Tab Thickness	.8 mm[.031 in]

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions

--	--



Compatible Insulation Diameter Range	2 – 2.7 mm[.079 – .106 in]
Wire Size	20 – 17 AWG
Wire Size Search	.5 mm², .6 mm², .75 mm², 1 mm²
Tab Length	18.8 mm[.74 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	130 °C[266 °F]
Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Compatible With Agency/Standards Products	DIN 72 551 Part 6, DIN ISO 6722 part 3
---	--

Packaging Features

Packaging Method	Reel
Packaging Quantity	4000

Other

Terminal Transmits	25 – 40 A (Power)
--------------------	-------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>





EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 1203702-8 EXTERNAL RELAY BASE	 TE Part # 1203559-1 DUAL EXTERNAL RELAY BASE MICRO (FR)	 TE Part # 1-1579007-6 EXTRACTION TOOL	 TE Part # 2305570-1 Strip Terminal Cutter-Side Feed-No Crimp
 TE Part # 2837497-2 APPLICATOR TO MAKE LOOSE PC TERMINAL-RSA	 TE Part # 7-2151220-7 OCEAN_2.0_SPART_PART_KIT-080F130F	 TE Part # 2837497-1 APPLICATOR TO MAKE LOOSE PIECE-RSM	 TE Part # 1203559-3 EXTERNAL RELAY BASE (FR)
 TE Part # 4-1579007-3 EXTRACTION TOOL KIT	 TE Part # 2151220-1 OCEAN_2.0_APPLICATOR-S-080F130F-RSM	 TE Part # 2151220-2 OCEAN_2.0_APPLICATOR-E-080F130F-REA	 TE Part # CAT-T4827-CH8172 Timer Connector Housing

Also in the Series | Junior Power Timer



Automotive Connector Caps & Covers (9)



Automotive Connector Locks & Position Assurance(8)



Automotive Housings(279)




Automotive Terminals(150)



Busbars & Terminals(1)



Connector Seals & Cavity Plugs(7)



Module Components(1)




Other Automotive Connector Accessories(2)




Special Purpose Terminals(2)

Customers Also Bought




TE Part #1379668-2
24W PLUG HSG ASSY grey




TE Part #929504-5
2X 7P JUN POW TIMGH



TE Part #927773-3
JPT REC 2.8 Contact SRC Sn




TE Part #CAT-M9194-CH8172
MULTILOCK, CONNECTOR HOUSING




TE Part #2435082-2
MT 2,TERMINAL,SRC SN



TE Part #7-1393304-4
V23134M1053C642-EV-CBOX



TE Part #2434749-1
12POS,MQS,REC HSG,COD A



TE Part #2434735-1
COVER,MQS ABDECKKAPPE 2X6POS

Documents



CAD Files

Customer View Model

ENG_CVM_927775-3_N.3d_igs.zip

English

Customer View Model

ENG_CVM_927775-3_N.3d_stp.zip

English

Customer View Model

ENG_CVM_927775-3_N.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

German

Application Specification

English