

S1260-TAPE-3/4INX25FT-CL

✓ ACTIVE

RAYCHEM

TE Internal #: EG8290-000

Fluoropolymer Adhesive, Hot Melt Tape

[View on TE.com >](#)



Wire Protection & Management > Adhesives & Sealants > Hot Melt Tape



Adhesive Type: **Fluoropolymer Adhesive**
Operating Temperature Range: **-55 – 200 °C**

Features

Product Type Features

Adhesive Type	Fluoropolymer Adhesive
---------------	------------------------

Dimensions

Product Length	7.62 m[25 ft]
Product Width	19 mm[.7 in]

Usage Conditions

Installation Temperature	220 °C
Operating Temperature Range	-55 – 200 °C

Industry Standards

Adhesive Specification	RT-1050/29
------------------------	------------

Packaging Features

Packaging Method	Roll
------------------	------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC













Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Customers Also Bought

 <p>TE Part #4-1617758-3 FCB-205-0219L=M83536/2-019L</p>	 <p>TE Part #1-745497-6 RCPT ASSY,37P,HDE,MS</p>	 <p>TE Part #34319-1 SOLIS, PARA 6 60/40 SN-PB</p>	 <p>TE Part #YDTS24F17-26PNV001 RECP ASSY</p>
 <p>TE Part #476339-000 55A1133-22-9/93/96-9</p>	 <p>TE Part #202135-2 41 POS. MALE DEEP BLOCK</p>	 <p>TE Part #YDTS26F15-97PNV001 PLUG ASSY</p>	 <p>TE Part #087489-000 55A1162-22-MST6-9CS2275</p>
 <p>TE Part #ZPF0000000000003732 732-8052-14 A-A1064</p>	 <p>TE Part #EH1941-000 S200-2-55-20-9</p>		

Documents

Product Drawings



S1260-TAPE-3/4INX25FT-CL

English

Datasheets & Catalog Pages

Raychem S1260 High-Temp Tape Adhesive

English